
**Information technology — Open
Distributed Processing — Use of UML for
ODP system specifications**

*Technologies de l'information — Traitement réparti ouvert — Utilisation
de l'UML pour les spécifications de système ODP*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS

	<i>Page</i>
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 OMG specifications	1
3 Definitions	2
3.1 Definitions from ODP standards	2
3.2 Definitions from the Enterprise Language	2
3.3 Definitions from the Unified Modeling Language	2
3.4 Definitions from ODP standards refined or extended in this Recommendation International Standard	3
4 Abbreviations	3
5 Conventions	3
6 Overview of modelling and system specification approach	4
6.1 Introduction	4
6.2 Overview of ODP concepts (extracted from RM-ODP Part 1)	4
6.3 Overview of UML concepts	8
6.4 Universes of discourse, ODP specifications and UML models	9
6.5 Modeling concepts and UML profiles for ODP viewpoint languages and correspondences	10
6.6 General principles for expressing and structuring ODP system specifications using UML	10
6.7 Correspondences between viewpoint specifications	11
7 Enterprise specification	12
7.1 Modelling concepts	12
7.2 UML profile	16
7.3 Enterprise specification structure (in UML terms)	24
7.4 Viewpoint correspondences for the enterprise language	25
8 Information specification	26
8.1 Modelling concepts	26
8.2 UML profile	28
8.3 Information specification structure (in UML terms)	30
8.4 Viewpoint correspondences for the information language	31
9 Computational specification	31
9.1 Modelling concepts	31
9.2 UML profile	36
9.3 Computational specification structure (in UML terms)	42
9.4 Viewpoint correspondences for the computational language	42
10 Engineering specification	43
10.1 Modelling concepts	43
10.2 UML profile	52
10.3 Engineering specification structure (in UML terms)	56
10.4 Viewpoint correspondences for the engineering language	57
11 Technology Specification	58
11.1 Modelling concepts	58
11.2 UML profile	58
11.3 Technology specification structure (in UML terms)	59
11.4 Viewpoint correspondences for the technology language	60
12 Correspondences specification	60
12.1 Modelling concepts	60
12.2 UML profile	61
13 Modelling conformance in ODP system specifications	62
13.1 Modelling conformance concepts	62
13.2 UML profile	62

	<i>Page</i>
14 Conformance and compliance to this document	63
14.1 Conformance.....	63
14.2 Compliance.....	63
Annex A – An example of ODP specifications using UML	64
A.1 The Templeman Library System	64
A.2 Enterprise specification in UML	65
A.3 Information specification in UML	79
A.4 Computational specification in UML	87
A.5 Engineering specification in UML.....	93
A.6 Technology specification in UML	102

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 19793 was prepared jointly by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering* in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.906.

0 Introduction

The rapid growth of distributed processing has led to the adoption of the Reference Model of Open Distributed Processing (RM-ODP), which provides a coordinating framework for the standardization of Open Distributed Processing (ODP). RM-ODP creates an architecture within which support of distribution, interworking, and portability can be integrated. This architecture provides a framework for the specification of ODP systems.

RM-ODP is based on precise concepts derived from current distributed processing developments and, as far as possible, on the use of formal description techniques for specification of the architecture. It does not recommend any notation.

The Unified Modeling Language™ (UML®) was developed by the Object Management Group™ (OMG™). It provides a notation for modelling in support of information system design and is widely used throughout the IT industry as the language and notation of choice.

This Recommendation | International Standard refines and extends the definition of how ODP systems are specified by defining the use of the Unified Modeling Language for the expression of ODP system specification.

0.1 RM-ODP

The RM-ODP consists of:

- Part 1 (ITU-T Rec. X.901 | ISO/IEC 10746-1): Overview, which contains a motivational overview of ODP, giving scoping, justification and explanation of key concepts, and an outline of the ODP architecture. It contains explanatory material on how the RM-ODP is to be interpreted and applied by its users, who may include standards writers and architects of ODP systems. It also contains a categorization of required areas of standardization expressed in terms of the reference points for conformance identified in ITU-T Rec. X.903 | ISO/IEC 10746-3. Part 1 is not normative.
- Part 2 (ITU-T Rec. X.902 | ISO/IEC 10746-2): Foundations, which contains the definition of the concepts and analytical framework for normalized description of (arbitrary) distributed processing systems. It introduces the principles of conformance to ODP standards and the way in which they are applied. This is only to a level of detail sufficient to support ITU-T Rec. X.903 | ISO/IEC 10746-3 and to establish requirements for new specification techniques. Part 2 is normative.
- Part 3 (ITU-T Rec. X.903 | ISO/IEC 10746-3): Architecture, which contains the specification of the required characteristics that qualify distributed processing as open. These are the constraints to which ODP standards shall conform. It uses the descriptive techniques from ITU-T Rec. X.902 | ISO/IEC 10746-2. Part 3 is normative.
- Part 4 (ITU-T Rec. X.904 | ISO/IEC 10746-4): Architectural semantics, which contains a formalization of the ODP modelling concepts defined in clauses 8 and 9 of ITU-T Rec. X.902 | ISO/IEC 10746-2. The formalization is achieved by interpreting each concept in terms of the constructs of one or more of the different standardized formal description techniques. Part 4 is normative.

In the same series as the RM-ODP are a number of other Standards and Recommendations, and, of these, the principal one that concerns this Recommendation | International Standard is:

- The Enterprise Language (ITU-T Rec. X.911 | ISO/IEC 15414), which refines and extends the enterprise language defined in ITU-T Rec. X.903 | ISO/IEC 10746-3 to enable full enterprise viewpoint specification of an ODP system.

0.2 UML

The Unified Modeling Language (UML) is a visual language for specifying and documenting the artifacts of systems. It is a general-purpose modelling language that can be used with all major object and component methods and that can be applied to all application domains (e.g., health, finance, telecom, aerospace) and implementation platforms (e.g., J2EE, CORBA®, .NET).

The version of UML currently adopted as an International Standard (ISO/IEC 19501) is UML 1.4, which is basically the language that was originally adopted by the OMG in the 1990s. UML was substantially extended by the OMG in 2005 to produce version 2, which offers significant enhancements, particularly in the way the language and notation handle structured classifiers. These enhancements have been found to be essential for expressing many of the more complex concepts in the RM-ODP computational and engineering language. As a result, this Recommendation | International Standard takes UML version 2 as its baseline.

UML version 2 has been structured modularly, with the ability to select only those parts of the language that are of direct interest. It is extensible, so it can be easily tailored to meet the specific user requirements. The UML specification defines thirteen types of diagram, divided in two categories that represent, respectively: the static structure of the objects in a system (structure diagrams) and the dynamic behaviour of the objects in a system (behaviour diagrams). In

addition, UML incorporates extension mechanisms that allow the definition of new dialects of UML (managed using UML profiles) to customize the language for particular platforms and domains.

The UML specification is defined using a metamodeling approach (i.e., a metamodel is used to specify the model that comprises UML). That metamodel has been constructed so that the resulting family of UML languages is fully aligned with the rest of the OMG specifications (e.g., MOF™, OCL, XMI®) and to allow the exchange of models between tools.

0.3 Overview and motivation

ITU-T Rec. X.903 | ISO/IEC 10746-3 defines a framework for the specification of ODP systems comprising:

- a) five viewpoints, called enterprise, information, computational, engineering and technology, which provide a basis for the specification of ODP systems;
- b) a viewpoint language for each viewpoint, defining concepts and rules for specifying ODP systems from the corresponding viewpoint.

This Recommendation | International Standard defines:

- use of the viewpoints prescribed by the RM-ODP to structure UML system specifications;
- rules for expressing RM-ODP viewpoint languages and specifications with UML and UML extensions (e.g., UML profiles).

It allows UML tools to be used to process viewpoint specifications, facilitating the software design process.

Currently there is growing interest in the use of UML for system modelling. However, there is no widely agreed approach to the structuring of such specifications. This adds to the cost of adopting the use of UML for system specification, hampers communication between system developers and makes it difficult to relate or merge system specifications where there is a need to integrate IT systems.

The RM-ODP defines essential concepts necessary to specify open distributed processing systems from five prescribed viewpoints and provides a framework for the structuring of specifications for distributed systems.

However, the RM-ODP prescribes neither a notation, nor a model development method.

This Recommendation | International Standard provides the necessary framework for ODP system specification using UML. It defines both a UML based notation for the expression of such specifications, and an approach for their structuring using the notation, thus providing the basis for model development methods.

By defining how UML and UML extensions should be used to express RM-ODP viewpoint specifications, the standard enables the ODP viewpoints and ODP architecture to provide the needed framework for system specification using UML.

This Recommendation | International Standard contains the following annexes:

- Annex A: An example of ODP specifications using UML.

This annex is not normative.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology – Open distributed processing –
Use of UML for ODP system specifications**

1 Scope

This Recommendation | International Standard defines use of the Unified Modeling Language (UML 2.1.1 Superstructure Specification, OMG document formal/07-02-05) for expressing system specifications in terms of the viewpoint specifications defined by the Reference Model of Open Distributed Processing (RM-ODP, ITU-T Recs X.901 to X.904 | ISO/IEC 10746 Parts 1 to 4) and the Enterprise Language (ITU-T Rec. X.911 | ISO/IEC 15414). It covers:

- a) the expression of a system specification in terms of RM-ODP viewpoint specifications using defined UML concepts and extensions (e.g., structuring rules, technology mappings, etc.);
- b) relationships between the resultant RM-ODP viewpoint specifications.

This document is intended for the following audiences:

- ODP modellers who want to use the UML notation for expressing their ODP specifications in a graphical and standard way;
- UML modellers who want to use the RM-ODP concepts and mechanisms to structure their UML system specifications; and
- modelling tool suppliers, who wish to develop UML-based tools that are capable of expressing RM-ODP viewpoint specifications.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.725 (1995) | ISO/IEC 10165-7:1996, *Information technology – Open Systems Interconnection – Structure of management information: General Relationship Model*.
- ITU-T Recommendation X.902 (1995) | ISO/IEC 10746-2:1996, *Information technology – Open Distributed Processing – Reference Model: Foundations*.
- ITU-T Recommendation X.903 (1995) | ISO/IEC 10746-3:1996, *Information technology – Open Distributed Processing – Reference Model: Architecture*.
- ITU-T Recommendation X.904 (1997) | ISO/IEC 10746-4:1998, *Information technology – Open Distributed Processing – Reference Model: Architectural semantics*.
- ITU-T Recommendation X.911 (2001) | ISO/IEC 15414:2002, *Information technology – Open Distributed Processing – Reference model – Enterprise language*.

2.2 OMG specifications

- *OMG Unified Modeling Language: Superstructure, version 2.1.1, formal/07-02-05*.